



SUPPLEMENTARY TYPE EXAMINATION CERTIFICATE

Intrinsically safe System Intended for use in Potentially Explosive Atmospheres

- 3 Supplementary Type Examination Certificate Number: **Baseefa08Y0087/2**
- 4 Equipment: **HS-420I Series Accelerometer System**
- 5 Manufacturer: **Hansford Sensors Ltd**
- 6 Address: **Sands Industrial Estate, Bucks, HP12 4HJ**
- 7 This supplementary certificate extends Type Examination Certificate No. Baseefa08Y0087 to apply only to the design of the specified intrinsically safe system, and not to specific items of equipment therein, in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. **5943**

Project File No. **12/0642**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa Ltd
Registered in England No. 4305578. Registered address as above.

R S SINCLAIR

DIRECTOR
On behalf of
Baseefa



13

Schedule

14

Certificate Number Baseefa08Y0087/2

15 Description of the variation to the Equipment

Variation 2.1

To confirm that the equipment covered by this certificate also meets the requirements of EN 60079-25: 2010 (IEC 60079-25: 2010, Edition 2) as supported by Report 12(C)0642 held on technical file Baseefa07Y0145/2.

16 Report Number

12(C)0642

17 Specific Conditions of Use

None

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

No drawings are affected by this change.