HS-AS Studs
glue face



Glue face studs are designed to provide a stronger glue surface to connect an accelerometer via.

Mounting Studs provide a secure, permanent or semi-permanent point of connection

Part No.	Connection Point 1	Material	Connection Point 2	
HS-AS014	¼"-28 UNF Male		Glue Face x Ø19mm	
HS-AS014-38	¼"-28 UNF Male		Glue Face x Ø38mm	
HS-AS014-44	¼"-28 UNF Male		Glue Face x Ø44mm	
HS-AS014-M6	M6 Male		Glue Face x Ø19mm	
HS-AS014-M6-30	M6 Male		Glue Face x Ø30mm	
HS-AS019-15	Magnet	416 Stainless Steel	Glue Face x Ø15mm	
HS-AS019-18	Magnet	416 Stainless Steel	Glue Face x Ø18mm	
HS-AS019-24	Magnet	416 Stainless Steel	Glue Face x Ø24mm	For Quantity this product can be etched.
HS-AS019-30	Magnet	416 Stainless Steel	Glue Face x Ø30mm	For Quantity this product can be etched.
HS-AS019-38	Magnet	416 Stainless Steel	Glue Face x Ø38mm	For Quantity this pro-ductcan be etched.
HS-AS027-M6	M6 Female	416 Stainless Steel	Glue Face x 20mm AF	
HS-AS027-M8	M8 Female	416 Stainless Steel	Glue Face x 20mm AF	
HS-AS027-M8x1	M8 x 1 Female	416 Stainless Steel	Glue Face x 20mm AF	
HS-AS027-M8-SS	M8 x Female	316L Stainless Steel	Glue Face x 20mm AF	



Hansford Sensors
Excellence in Vibration Monitoring

www.hansfordsensors.com
sales@hansfordsensors.com

We reserve the right to alter the specification of this product without prior notice

HS-AS Studs
glue face



Glue face studs are designed to provide a stronger glue surface to connect an accelerometer via.

Mounting Studs provide a secure, permanent or semi-permanent point of connection

Part No.	Connection Point 1	Material	Connection Point 2	
HS-AS027-1/4	1/4"-28UNF Hex Female	416 Stainless Steel	Glue Face x Ø20mm	
HS-AS029	10-32 UNF Male		Glue Face x Ø19mm	
HS-AS036	M8 Male		Glue Face x 20.6mm AF	
HS-AS036-M6	M6 Male		Glue Face x 20.6mm AF	
HS-AS055	M6 Male		Glue Face x Ø50mm	
HS-AS059-1/4	¼"-28 UNF Female	416 Stainless Steel	Glue Face x Ø19mm	
HS-AS059-1/4-25	¼"-28 UNF Female	416 Stainless Steel	Glue Face x Ø25mm	
HS-AS059-1/4-30	¼"-28 UNF Female	416 Stainless Steel	Glue Face x Ø30mm	
HS-AS059-M6	M6 Female	416 Stainless Steel	Glue Face x Ø19mm	
HS-AS059-M6-25	M6 x 1 Female	416 Stainless Steel	Glue Face x Ø25m	
HS-AS059-M6-30	M6 x 1 Female	416 Stainless Steel	Glue Face x Ø30m	



Hansford Sensors
Excellence in Vibration Monitoring

www.hansfordsensors.com
sales@hansfordsensors.com

We reserve the right to alter the specification of this product without prior notice

HS-AS Studs
glue face



Glue face studs are designed to provide a stronger glue surface to connect an accelerometer via.

Mounting Studs provide a secure, permanent or semi-permanent point of connection

Part No.	Connection Point 1	Material	Connection Point 2	
HS-AS059-M8	M8 x 1.25 Female	416 Stainless Steel	Glue Face x Ø19m	
HS-AS059-M8-25	M8 x 1.25 Female	416 Stainless Steel	Glue Face x Ø25m	
HS-AS059-M8-30	M8 x 1.25 Female	416 Stainless Steel	Glue Face x Ø30m	
HS-AS062	M8 x 1 Male		Glue Face x Ø50m	
HS-AS087	Magnet - Ømm Centre Hole	416 Stainless Steel	Glue Face x Ø19mm	
HS-AS166	1/4"-28UNF Male		Glue Face x Ø22,5mm	
HS-AS174-1/4	1/4"-28UNF Female		Glue Face x 20.6mm AF	
HS-AS174-M8	M8 Female		Glue Face x 20.6mm AF	
HS-AS206-1/4	1/4"-28UNF Female		Glue Face x 20.6mm AF	
HS-AS222	Glue Face		Glue Face x Ø38mm	



Hansford Sensors
Excellence in Vibration Monitoring

www.hansfordsensors.com
sales@hansfordsensors.com

We reserve the right to alter the specification of this product without prior notice


HS-AS Studs
glue face



Glue face studs are designed to provide a stronger glue surface to connect an accelerometer via.

Mounting Studs provide a secure, permanent or semi-permanent point of connection

Part No.	Connection Point 1	Material	Connection Point 2	
HS-AS226-1/4	1/4"-28UNF Male		Glue Face x Ø35m	For use with HS-173 Triaxial
HS-AS226-M6	M6 Female		Glue Face x Ø35m	For use with HS-173 Triaxial
HS-AS226-M8	M8 Female		Glue Face x Ø35m	For use with HS-173 Triaxial
HS-AS242	5-40 UNC Female		13mm AF Hex Glue Stud	
HS-AS243	1/4"-28UNF Male		20mm AF Hex Glue Stud	



Hansford Sensors
Excellence in Vibration Monitoring

www.hansfordsensors.com
sales@hansfordsensors.com

We reserve the right to alter the specification of this product without prior notice